

INTERACTIVE FLAT PANEL OPS PC



REECAN TECHNOLOGY CO. LIMITED

OPSPC H81 MODEL i3-4000M

Processor	CPU	Intel Core i3-4000M, 2 Core , 2.4 GHz
	Chipset	Intel® H81
	BIOS	AMI 64Mbit
RAM		4GB SO-DIMM DDR3 1333 MHz memory , Max.32GB
ROM	SATA Port	2.5" 5400rpm 500G/ 128G SSD optional
	MINI PCIE	1xMini PCIE
Display	Chipset	CPU HD Graphics
	Output	VGA+HDMI, single Display/ Dual Display
		1 × VGA (resolution 1920×1080 maximum) 1 ×HDMI (resolution 3840x2160 maximum)
NET	Chipset	1 × RTL8111E 10/100/1000M (RJ45 LAN)
	WIFI	1 x WIFI Module support 802.11ac/b/g/n (Mini PCIE half card)
I/O PUT	USB 3.0	4x USB 3.0
	USB 2.0	2x USB 2.0
	Power Button	1x Power Button
	Reset	1x Reset Button
	OPS Port	1x OPS port (80 pins)
	LED indicator	1x power LED, 1x RAM LED
	DC Jack	1x DC jack
POWER	Audio	1 × LINE-OUT & MIC-IN, integrated 6 channels ALC662 audio card chip
	Input	DC 12-19V
SIZE	Power Consumption	60W
	physical Size	180mm (L) x 195mm (W) x 30mm (H)
Weight	Package Size	260x210x80mm
	Net Weight	0.9KG
Working environment	Gross Weight	1.02KG
	Temperature	Working:0°C ~50°C storage: -20~70°C
Operation System	Humidity	5%~90%
	Version	Windows xp/Windows 7 / windows8 / Windows 10/Linux



REECAN TECHNOLOGY CO. LIMITED